

**ARALDITE® 2021-1 A**

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name : ARALDITE® 2021-1 A

Unique Formula Identifier (UFI) : 65F2-20S7-8009-K9RJ

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Substance/Mixture : Adhesives

**1.3 Details of the supplier of the safety data sheet**

Company : Huntsman Advanced Materials (Europe)BVBA  
Address : Everslaan 45  
3078 Everberg  
Belgium

Telephone : +41 61 299 20 41  
Telefax : +40 61 299 20 40

E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

**1.4 Emergency telephone number**

Emergency telephone number : EUROPE: +32 35 75 1234  
France ORFILA: +33(0)145425959  
ASIA: +65 6336-6011  
China: +86 20 39377888  
+86 532 83889090  
India: + 91 22 42 87 5333  
Australia: 1800 786 152  
New Zealand: 0800 767 437  
USA: +1/800/424.9300  
National Poisons Information Centre (NPIC): + 353 (01)  
8092166 (8am-10pm)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008)**

Flammable liquids, Category 2      H225: Highly flammable liquid and vapour.

Skin irritation, Category 2      H315: Causes skin irritation.

Serious eye damage, Category 1      H318: Causes serious eye damage.

Skin sensitisation, Category 1      H317: May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Chronic aquatic toxicity, Category 3

H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P261 Avoid breathing mist or vapours.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  
**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:

methyl methacrylate

methacrylic acid

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Adhesives and/or sealants

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
methyl methacrylate	80-62-6 201-297-1 607-035-00-6 01-2119452498-28	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	$\geq 50$ - < 70
methacrylic acid	79-41-4 201-204-4 607-088-00-5 01-2119463884-26	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 3; H311 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)  specific concentration limit STOT SE 3; H335 $\geq 1$ % Skin Corr. 1A; H314 $\geq 10$ % Skin Irrit. 2; H315 1 - < 10 %	$\geq 5$ - < 10
2,6-Di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119555270-46	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Chronic aquatic toxicity): 1	$\geq 1$ - < 2,5
alpha,alpha-dimethylbenzyl hydroperoxide	80-15-9 201-254-7 617-002-00-8 01-2119475796-19	Org. Perox. E; H242 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 4; H312	$\geq 0,25$ - < 1

**ARALDITE® 2021-1 A**

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

		Skin Corr. 1B; H314 STOT RE 2; H373 Aquatic Chronic 2; H411 <hr/> specific concentration limit Skin Corr. 1B; H314 >= 10 % Skin Irrit. 2; H315 3 - < 10 % Eye Dam. 1; H318 3 - < 10 % Eye Irrit. 2; H319 1 - < 3 % STOT SE 3; H335 >= 1 %
--	--	--

For explanation of abbreviations see section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.

**ARALDITE® 2021-1 A**

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

**4.2 Most important symptoms and effects, both acute and delayed**

None known.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically.

---

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Hydrogen chloride

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : No data is available on the product itself.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.



**ARALDITE® 2021-1 A**

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

(which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Keep in properly labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Recommended storage temperature : 2 - 8 °C

Further information on storage stability : Stable under normal conditions.

**7.3 Specific end use(s)**

Specific use(s) : No data available

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
methyl methacrylate	80-62-6	TWA	50 ppm	2009/161/EU
Further information	Indicative			
		STEL	100 ppm	2009/161/EU
Further information	Indicative			
		OELV - 8 hrs (TWA)	50 ppm	IE OEL
Further information	Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			
		OELV - 15 min (STEL)	100 ppm	IE OEL
Further information	Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis			
methacrylic acid	79-41-4	OELV - 8 hrs (TWA)	20 ppm 70 mg/m <sup>3</sup>	IE OEL
		OELV - 15 min (STEL)	40 ppm 140 mg/m <sup>3</sup>	IE OEL

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

**ARALDITE® 2021-1 A**Version  
1.1Revision Date:  
19.05.2021SDS Number:  
400000011015Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

2,6-di-tert-butyl-p-cresol	128-37-0	OELV - 8 hrs (TWA)	2 mg/m <sup>3</sup>	IE OEL
Silica, amorphous, fumed, cryst.-free	112945-52-5	OELV - 8 hrs (TWA) (Respirable dust)	2,4 mg/m <sup>3</sup> (Silica)	IE OEL
		OELV - 8 hrs (TWA) (inhalable dust)	6 mg/m <sup>3</sup> (Silica)	IE OEL

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Exposure routes	Potential health effects	Value
2,6-di-tert-butyl-p-cresol	Workers	Inhalation	Long-term systemic effects	3,5 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,86 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	0,25 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	0,25 mg/kg bw/day
methacrylic acid	Workers	Inhalation	Long-term systemic effects	29,6 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	88 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	4,25 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	6,3 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	6,55 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	2,55 mg/kg bw/day
	Silica, amorphous, fumed, cryst.-free	Workers	Inhalation	Long-term systemic effects

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Substance name	Environmental Compartment	Value
2,6-di-tert-butyl-p-cresol	Fresh water	0,199 µg/l
Remarks:	Assessment Factors	
	Marine water	0,02 µg/l
Remarks:	Assessment Factors	
	Sewage treatment plant	0,17 mg/l
Remarks:	Assessment Factors	
	Fresh water sediment	0,0996 mg/kg dry weight (d.w.)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version  
1.1

Revision Date:  
19.05.2021

SDS Number:  
400000011015

Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

	Equilibrium method	
	Marine sediment	0,00996 mg/kg dry weight (d.w.)
	Equilibrium method	
	Soil	0,04769 mg/kg dry weight (d.w.)
	Equilibrium method	
	Oral	8,33 mg/kg
methacrylic acid	Fresh water	0,82 mg/l
	Assessment Factors	
	Marine water	0,82 mg/l
	Assessment Factors	
	Freshwater - intermittent	0,82 mg/l
	Assessment Factors	
	Sewage treatment plant	10 mg/l
	Assessment Factors	
	Soil	1,2 mg/kg
	Equilibrium method	

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

#### Hand protection

Material : butyl-rubber  
Break through time : 60 min  
Glove thickness : 0,7 mm

#### Remarks

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

**ARALDITE® 2021-1 A**

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines

Filter type : Organic vapour type (A)

In the case of vapour formation use a respirator with an approved filter.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

Physical state : paste

Colour : white

Odour : acrylic-like

Odour Threshold : No data is available on the product itself.

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : No data is available on the product itself.

Boiling point : > 100 °C

Flash point : 10 °C  
Method: closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Burning rate : No data is available on the product itself.

Upper explosion limit / Upper flammability limit : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

Vapour pressure : No data is available on the product itself.

Relative vapour density : No data is available on the product itself.

Relative density : 1,01 - 1,02

Density : No data is available on the product itself.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : No data is available on the product itself.

Viscosity  
Viscosity, dynamic : 30 000 mPa.s (25 °C)  
thixotropic

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Reducing agents  
Strong oxidizing agents  
Heavy metal salts

### 10.6 Hazardous decomposition products

Hazardous decomposition products : carbon dioxide  
carbon monoxide

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 2 000 mg/kg  
Method: Calculation method

Acute toxicity estimate : > 2 000 mg/kg  
Method: Calculation method

Acute inhalation toxicity - Product : Acute toxicity estimate : > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute toxicity estimate : > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity - Product : Acute toxicity estimate : > 2 000 mg/kg  
Method: Calculation method

Acute toxicity estimate : > 2 000 mg/kg  
Method: Calculation method

Acute toxicity (other routes of administration) : No data available

##### Skin corrosion/irritation

###### Components:

methyl methacrylate:  
Species: Rabbit  
Method: OPPTS 870.2500  
Result: Skin irritation

methacrylic acid:  
Species: Rabbit  
Assessment: Causes severe burns.  
Method: OECD Test Guideline 404  
Result: Extremely corrosive and destructive to tissue.  
GLP: yes

2,6-di-tert-butyl-p-cresol:  
Species: Rabbit  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation

alpha,alpha-dimethylbenzyl hydroperoxide:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

Result: Causes burns.

### Serious eye damage/eye irritation

#### Components:

methacrylic acid:

Species: Rabbit

Assessment: Risk of serious damage to eyes.

Method: Draize Test

Result: Irreversible effects on the eye

GLP: no

2,6-di-tert-butyl-p-cresol:

Species: Rabbit

Assessment: No eye irritation

Method: OECD Test Guideline 405

Result: No eye irritation

alpha,alpha-dimethylbenzyl hydroperoxide:

Assessment: Risk of serious damage to eyes.

Result: Irreversible effects on the eye

### Respiratory or skin sensitisation

#### Components:

methyl methacrylate:

Exposure routes: Skin

Species: Mouse

Assessment: May cause sensitisation by skin contact.

Method: OECD Test Guideline 429

Result: May cause sensitisation by skin contact.

methacrylic acid:

Test Type: Buehler Test

Exposure routes: Skin

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Result: Did not cause sensitisation on laboratory animals.

2,6-di-tert-butyl-p-cresol:

Exposure routes: Skin

Species: Humans

Result: Does not cause skin sensitisation.

Assessment: No data available

### Germ cell mutagenicity

#### Components:

methyl methacrylate:

Genotoxicity in vitro

: Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

Method: OECD Test Guideline 471

Result: negative

methacrylic acid:

Genotoxicity in vitro

: Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vitro

: Test Type: reverse mutation assay  
Metabolic activation: with and without metabolic activation  
Result: negative

: Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Result: negative

### Components:

methacrylic acid:

Genotoxicity in vivo

: Test Type: in vivo assay  
Test species: Rat (male)  
Cell type: Somatic  
Application Route: Inhalation  
Exposure time: 2 h  
Dose: 0.4, 1.6, 2.8 and 4 mg/L  
Method: OECD Test Guideline 475  
Result: Not classified due to inconclusive data.  
GLP: no

Test Type: dominant lethal test

Test species: Mouse (male)

Application Route: Inhalation

Exposure time: 6 h

Dose: 0.405, 4.05 and 36.45 mg/L

Method: OECD Test Guideline 478

Result: negative

GLP: no

2,6-di-tert-butyl-p-cresol:

Genotoxicity in vivo

: Application Route: Intraperitoneal injection  
Dose: 75 mg/kg  
Result: negative

Application Route: Oral

Exposure time: 9 Months

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

Dose: ca 750 mg/kg

Result: negative

Germ cell mutagenicity-  
Assessment : No data available

### Carcinogenicity

#### Components:

methyl methacrylate:

Species: Rat, male and female

Application Route: Oral

Exposure time: 2 Years

Dose: 6, 60, 2000 ppm

Frequency of Treatment: once daily

No observed adverse effect level: 90,3 mg/kg bw/day

Result: negative

methacrylic acid:

Species: Rat, male and female

Application Route: inhalation (vapour)

Exposure time: 102 weeks

Frequency of Treatment: 5 days/week

No observed adverse effect level:  $\geq 2,05$  mg/kg body weight

Method: OECD Test Guideline 451

Species: Mouse, male and female

Application Route: inhalation (vapour)

Exposure time: 102 weeks

Dose: ca. 2.05 and 4.1 mg/L

Frequency of Treatment: 5 days/week

Lowest observed adverse effect level: ca. 2,05 mg/l

Method: OECD Test Guideline 451

2,6-di-tert-butyl-p-cresol:

Species: Rat, male and female

Application Route: Oral

Result: negative

Carcinogenicity -  
Assessment : No data available

### Reproductive toxicity

#### Components:

methacrylic acid:

Effects on fertility

: Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Dose: 0, 50, 150, 450 mg/kg/day

General Toxicity - Parent: No observed adverse effect level:

50 mg/kg body weight

Fertility: No observed adverse effect level F1: 400 mg/kg body weight

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

Symptoms: Reduced body weight  
Method: OECD Test Guideline 416  
GLP: yes

2,6-di-tert-butyl-p-cresol:

Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 25/100/500 mg/kg bw/day  
General Toxicity - Parent: No observed adverse effect level:  
100 mg/kg body weight  
General Toxicity F1: No observed adverse effect level: 25  
mg/kg body weight  
Result: negative

### Components:

methyl methacrylate:  
Effects on foetal  
development

: Species: Rat  
Application Route: Inhalation  
Dose: 99, 304, 1178 ppm  
Teratogenicity: No observed adverse effect concentration F1:  
8 300 mg/m<sup>3</sup>  
Embryo-foetal toxicity: No observed adverse effect  
concentration F1: 8 300 mg/m<sup>3</sup>  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

methacrylic acid:

Test Type: Pre-natal  
Species: Rat, female  
Application Route: Inhalation  
Dose: 0, 50, 100, 200 or 300 ppm  
Duration of Single Treatment: 14 d  
Frequency of Treatment: 7 days/week  
General Toxicity Maternal: No observed adverse effect level:  
200 ppm  
Developmental Toxicity: No observed adverse effect level: >=  
300 ppm  
Embryo-foetal toxicity: No observed adverse effect  
concentration F1: 300 ppm  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic  
development were detected.

Test Type: Pre-natal  
Species: Rabbit, male and female  
Application Route: Oral  
Dose: 50, 150, 450 milligram per kilogram  
Duration of Single Treatment: 23 d  
Frequency of Treatment: 7 days/week  
General Toxicity Maternal: No observed adverse effect level:  
50 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level F1:  
450 mg/kg body weight



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

Result: No effects on fertility and early embryonic development were detected.

2,6-di-tert-butyl-p-cresol:

Test Type: Pre-natal  
Species: Mouse, female  
Application Route: Oral  
Duration of Single Treatment: 7 d  
General Toxicity Maternal: No observed adverse effect level:  
240 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level:  
800 mg/kg body weight  
Target Organs: spleen, Kidney

Reproductive toxicity - Assessment : No data available

### STOT - single exposure

#### Components:

methyl methacrylate:  
Exposure routes: Inhalation  
Target Organs: Respiratory Tract  
Assessment: May cause respiratory irritation.

methacrylic acid:  
Exposure routes: Inhalation  
Target Organs: Respiratory Tract  
Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### STOT - repeated exposure

#### Components:

alpha,alpha-dimethylbenzyl hydroperoxide:  
Exposure routes: Inhalation  
Target Organs: Lungs  
Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### Repeated dose toxicity

#### Components:

methyl methacrylate:  
Species: Rat, male and female  
NOAEL: 124,1 mg/kg  
Application Route: oral (drinking water)  
Exposure time: 2 years Number of exposures: daily  
Dose: 6, 60, 2000 ppm

methacrylic acid:  
Species: Rat, male and female

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

NOEC: 352 - 1232  
Application Route: inhalation (vapour)  
Test atmosphere: vapour  
Exposure time: 90 d Number of exposures: 6 h  
Dose: 70/352/1232 mg/m<sup>3</sup>  
Subsequent observation period: 5 days/week  
Method: OECD Test Guideline 413  
GLP: yes

2,6-di-tert-butyl-p-cresol:  
Species: Pig, male and female  
NOAEL: >= 61 mg/kg  
Application Route: oral (feed)  
Exposure time: daily Method: Chronic toxicity

Repeated dose toxicity - Assessment : No data available

### Aspiration toxicity

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

### Toxicology, Metabolism, Distribution

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

### Neurological effects

No data available

### Further information

#### Product:

Remarks: Solvents may degrease the skin.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

methyl methacrylate:

Toxicity to fish : LC50 : 191 mg/l  
Exposure time: 96 h  
  
LC50 (Oncorhynchus mykiss (rainbow trout)): > 79 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: Fish Early-life Stage Toxicity Test

Toxicity to daphnia and other aquatic invertebrates : EC50 : 69 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 : > 110 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 37 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: flow-through test  
Method: OECD Test Guideline 211

methacrylic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 85 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: flow-through test  
Test substance: Fresh water  
Method: Fish Acute Toxicity Test  
GLP: yes  
Remarks: Toxic to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 130 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: flow-through test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: Aquatic Invertebrate Acute Toxicity Test, Freshwater

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

- Daphnids  
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 45 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes
- NOEC (Selenastrum capricornutum (green algae)): 8,2 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes
- Toxicity to microorganisms : EC50 (Pseudomonas putida): 270 mg/l  
Exposure time: 16,5 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: DIN 38 412 Part 8  
GLP: yes
- Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 35 d  
Species: Brachydanio rerio (zebrafish)  
Test Type: flow-through test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 210  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 53 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: flow-through test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 211  
GLP: yes
- 2,6-di-tert-butyl-p-cresol:  
Toxicity to fish : LC50 (Fish): 0,199 mg/l  
Exposure time: 96 h  
Test substance: Fresh water  
Method: QSAR
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,48 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

- Test substance: Fresh water  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,24 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0,24 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : ErC50 (activated sludge): 1,7 mg/l  
Exposure time: 24 h  
Test Type: static test
- Toxicity to fish (Chronic toxicity) : NOEC: 0,053 mg/l  
Exposure time: 30 d  
Species: Oryzias latipes (Orange-red killifish)  
Test substance: Fresh water  
Method: OECD Test Guideline 210
- NOEC: >= 23,8 mg/l  
Exposure time: 70 d  
Species: Fish  
Test substance: Fresh water
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50: 0,096 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test substance: Fresh water  
Method: OECD Test Guideline 211
- NOEC: 0,069 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test substance: Fresh water  
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1  
alpha,alpha-dimethylbenzyl hydroperoxide:
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3,9 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18,84 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 3,1 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201

### 12.2 Persistence and degradability

#### Components:

methyl methacrylate:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d

methacrylic acid:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Concentration: 3 mg/l  
Result: Readily biodegradable.  
Biodegradation: 86 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes

2,6-di-tert-butyl-p-cresol:

Biodegradability : Result: Not biodegradable

alpha,alpha-dimethylbenzyl hydroperoxide:

Biodegradability : Result: Not readily biodegradable.

### 12.3 Bioaccumulative potential

#### Components:

methyl methacrylate:

Bioaccumulation : Bioconcentration factor (BCF): 3

Partition coefficient: n-octanol/water : log Pow: 1,38

methacrylic acid:

Partition coefficient: n-octanol/water : log Pow: 0,93 (22 °C)  
pH: 2,2

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Exposure time: 28 d  
Bioconcentration factor (BCF): 330 - 1 800  
Method: flow-through test

Partition coefficient: n-octanol/water : log Pow: 5,2

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

### 12.4 Mobility in soil

#### Components:

2,6-di-tert-butyl-p-cresol:  
Distribution among : Koc: 8183  
environmental compartments

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
Dispose of as hazardous waste in compliance with local and national regulations.  
Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

## SECTION 14: Transport information

IATA

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version 1.1      Revision Date: 19.05.2021      SDS Number: 400000011015      Date of last issue: 22.12.2020  
Date of first issue: 22.12.2020

Print Date 21.09.2023

**14.1 UN number or ID number** : UN 1133  
**14.2 UN proper shipping name** : Adhesives  
**14.3 Transport hazard class(es)** : 3  
**14.4 Packing group** : II  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353

### IMDG

**14.1 UN number or ID number** : UN 1133  
**14.2 UN proper shipping name** : ADHESIVES  
**14.3 Transport hazard class(es)** : 3  
**14.4 Packing group** : II  
Labels : 3  
EmS Code : F-E, S-D  
**14.5 Environmental hazards**  
Marine pollutant : no

### ADR

**14.1 UN number or ID number** : UN 1133  
**14.2 UN proper shipping name** : ADHESIVES  
**14.3 Transport hazard class(es)** : 3  
**14.4 Packing group** : II  
Labels : 3  
**14.5 Environmental hazards**  
Environmentally hazardous : no

### RID

**14.1 UN number or ID number** : UN 1133  
**14.2 UN proper shipping name** : ADHESIVES  
**14.3 Transport hazard class(es)** : 3  
**14.4 Packing group** : II  
Labels : 3  
**14.5 Environmental hazards**  
Environmentally hazardous : no

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
P5c FLAMMABLE LIQUIDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

#### Inventories

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

## SECTION 16: Other information

### Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H242	: Heating may cause a fire.
H302	: Harmful if swallowed.
H311	: Toxic in contact with skin.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H331	: Toxic if inhaled.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Flam. Liq.	: Flammable liquids
Org. Perox.	: Organic peroxides
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
2009/161/EU	: Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
IE OEL	: Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1
2009/161/EU / TWA	: Limit Value - eight hours
2009/161/EU / STEL	: Short term exposure limit
IE OEL / OELV - 8 hrs (TWA)	: Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	: Occupational exposure limit value (15-minute reference period)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2021-1 A

Version	Revision Date:	SDS Number:	Date of last issue: 22.12.2020
1.1	19.05.2021	400000011015	Date of first issue: 22.12.2020

Print Date 21.09.2023

### Further information

#### Classification of the mixture:

Flam. Liq. 2	H225
Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
STOT SE 3	H335
Aquatic Chronic 3	H412

#### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.