according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ALEXIT BR3KA7-BladeRep Activator 3K 6100 Grün / Green

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Industrial serial painting

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Producer : Mankiewicz Gebr. & Co. (GmbH & Co. KG)

Georg-Wilhelm-Strasse 189

21107 Hamburg

Germany

Only for UK:

Supplied by Mankiewicz UK LLP 26 Ashville Way, Whetstone,

Leicester LE8 6NU

United Kingdom

Telephone : +49 (0) 40 75103 0 Telefax : +49 (0) 40 75103 37

E-mail address of person

responsible for the SDS

+49 (0) 40 75103 375 sdb info@umco.de

1.4 Emergency telephone number

Emergency telephone num: +44 1865 407333 (NCEC)

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - repeated

exposure, Category 1

H372: Causes damage to organs through pro-

longed or repeated exposure.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word Danger

Hazard statements H302 Harmful if swallowed.

> May cause an allergic skin reaction. H317

H372 Causes damage to organs through prolonged or re-

peated exposure.

Harmful to aquatic life with long lasting effects. H412

Prevention: Precautionary statements

> P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

Wear protective gloves. P280

Response:

Get medical advice/ attention if you feel unwell. P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

Hazardous components which must be listed on the label:

diisooctyl 2,2'-[(dioctylstannylene)bis(thio)]diacetate dimethylbis[(1-oxoneodecyl)oxy]stannane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature Paint auxiliary agent, solvent-free

Mankiewicz Gebr. & Co. (GmbH & Co. KG) Bank Name Hamburg (Wilhelmsburg) Tel.: +49 (0) 40 / 75 10 30 Fax: +49 (0) 40 / 75 10 33 75

 Bank Name
 Ort
 Kto-Nr.
 BLZ
 BIC
 IBAN
 Sitz/Registergericht Hamburg: HRA 42442

 Deutsche Bank
 Hamburg 600227300
 200 700 00
 DEUTDEHHDOX
 DE58 2007 0000 0600 2273 00
 Persönlich haftende Gesellschafterin: HRA 42442

 HypoPdereinsbank
 Hamburg 95273300
 200 300 00
 HYVEDEMM300
 DE34 2003 0000 0059 2733 00
 Grau Gehr. Beteiligungs-GmbH

 Postbank
 Hamburg 373205
 200 100 20
 PBNKDEFF200
 DE85 2001 0020 0000 3732 05
 Sitz/Registergericht Hamburg: HRB 17189 Geschäftsführender Gesellschafter: Michael C. Grau



according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023

Version 2

Page 3/14

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
diisooctyl 2,2'- [(dioc- tylstannylene)bis(thio)]diacetate	26401-97-8 247-666-0 01-2120770119-52	Acute Tox. 4; H302 STOT RE 1; H372 (thymus) Aquatic Chronic 3; H412	>= 40 - <= 100
dimethylbis[(1- oxoneodecyl)oxy]stannane	68928-76-7 273-028-6 01-2120770324-57	Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 3; H412	>= 5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In all cases of doubt, or when sickness symptoms persist,

seek medica lattention.

Never give anything by mouth to an unconscious person.

If inhaled : Remove to fresh air, keep patient warm and at rest.

Call a doctor, should the air passages be affected

In case of skin contact : Take off all contaminated clothing immediately.

Wash skin thoroughly with soap and water or use recognised

skin cleanser.

Do NOT use solvents or thinners!

In case of eye contact : Remove contact lenses, irrigate copiously with clean, fresh

water for at least 10 minutes, holding the eyelids apart and

seek medical advice.

If swallowed : Do NOT induce vomiting.

If accidentally swallowed obtain immediate medical attention.

Never give anything by mouth to an unconscious person.

Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

May cause an allergic skin reaction.

Causes damage to organs through prolonged or repeated

exposure.

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023

Version 2

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Not combustible under normal conditions.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Fire will produce dense black smoke. Exposure to decomposi-

tion products may cause a health hazard.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Appropriate breathing apparatus may be required.

DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO Further information

ENTER DRAINS OR WATER COURSES!!

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Take the precautions customary when handling chemicals.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions Do not let product enter drains.

> If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent Methods for cleaning up

> materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regula-

tions (see chapter 13).

Clean preferably with a detergent; avoid use of solvents.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Avoid contact with the skin and the eyes.

Comply with the health and safety at work laws.

Smoking, eating and drinking should be prohibited in the ap-

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

plication area.

Observe specific national regulations for handling and use of

paints.

Advice on protection against

fire and explosion

No special protective measures against fire required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed. Never use pressure to empty: container isnot a pressure vessel. No smoking. Prevent unauthorized access. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Further information on stor-

age conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep container dry in a cool, well-ventilated

place.

Advice on common storage

Keep away from oxidizing agents and strongly acid or alkaline

materials.

Recommended storage tem-

perature

5 - 35 °C

7.3 Specific end use(s)

Specific use(s) This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
diisooctyl 2,2'-	26401-97-8	TWA	0.1 mg/m3	GB EH40
[(dioc-			(Tin)	
tylstannylene)bis(t				
hio)]diacetate				
	Further information: Can be absorbed through the skin. The assigned sub-			
	stances are those for which there are concerns that dermal absorption will			
	lead to systemic toxicity.			
		STEL	0.2 mg/m3	GB EH40
			(Tin)	
	Further information: Can be absorbed through the skin. The assigned sub-			
	stances are those for which there are concerns that dermal absorption will			
	lead to systemic toxicity.			
dimethylbis[(1-	68928-76-7	TWA	0.1 mg/m3	GB EH40
OX-			(Tin)	
oneodecyl)oxy]sta				
nnane				
	Further information: Can be absorbed through the skin. The assigned sub-			

Mankiewicz Gebr. & Co. (GmbH & Co. KG) Bank Name Georg-Wilhelm-Straße 189 21107 Hamburg (Wilhelmsburg) Tel.: +49 (0) 40 / 75 10 30 Fax: +49 (0) 40 / 75 10 33 75

 Bank Name
 Ort
 Kto-Nr.
 BLZ
 BIC
 IBAN
 Sitz/Registergericht Hamburg: HRA 42442

 Deutsche Bank
 Hamburg 600227300
 200 700 00
 DEUTDEHHDOX
 DE58 2007 0000 0600 2273 00
 Persönlich haftende Gesellschafterin: HRA 42442

 HypoPdereinsbank
 Hamburg 95273300
 200 300 00
 HYVEDEMM300
 DE34 2003 0000 0059 2733 00
 Grau Gehr. Beteiligungs-GmbH

 Postbank
 Hamburg 373205
 200 100 20
 PBNKDEFF200
 DE85 2001 0020 0000 3732 05
 Sitz/Registergericht Hamburg: HRB 17189 Geschäftsführender Gesellschafter: Michael C. Grau



according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

stances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
	STEL	0.2 mg/m3 (Tin)	GB EH40
Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
diisooctyl 2,2'- [(dioc- tylstannylene)bis(thio)]diacetate	Workers	Inhalation	Long-term systemic effects	0.02 mg/m3
	Workers	Dermal	Long-term systemic effects	83 mg/kg bw/day
diisooctyl 2,2'- [(dioc- tylstannylene)bis(thio)]diacetate	Workers	Inhalation	Long-term systemic effects	0.02 mg/m3
	Workers	Dermal	Long-term systemic effects	83 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
diisooctyl 2,2'-	Fresh water	0.024 mg/l
[(dioc-		
tylstannylene)bis(thio)]diacetate		
	Marine water	0.002 mg/l
	Sewage treatment plant	1 mg/l
	Fresh water sediment	2440000 mg/kg
		dry weight (d.w.)
	Marine sediment	244000 mg/kg
		dry weight (d.w.)
diisooctyl 2,2'- [(dioc-	Fresh water	0.024 mg/l
tylstannylene)bis(thio)]diacetate		
	Marine water	0.002 mg/l
	Sewage treatment plant	1 mg/l
	Fresh water sediment	2440000 mg/kg
		dry weight (d.w.)
	Marine sediment	244000 mg/kg
		dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Provide adequate ventilation. This should be achieved by the use of local exhaust ventilation and good general extraction.

Personal protective equipment

Eye/face protection : Wear safety goggles to protect against splashes.

Hand protection

Mankiewicz Gebr. & Co. (GmbH & Co. KG)

| Bank Name | Ort | Kto-Nr. | BLZ | BIC | BAN | Sitz/Registergericht Hamburg: HRA 42442 | Bureau Verifas | Georg-Wilhelm-Straße 189 | Deutsche Bank | Hamburg | 600227300 | 200 700 0 | DEUTDEH-HXXX | DE58 2007 0000 0600 2273 00 | Persönlich haftende Gesellschafterin: | Certification: | ISO 9001, Tell: +49 (0) 40 / 75 10 30 | Fax: +49 (0) 40 / 75 10 33 75 | Sww.mankiewicz.de | Sitz/Registergericht Hamburg: HRB 17189 | Sitz/Registergericht Hamburg: HRB 42442 | Bureau Verifas | Certification: | DE58 2007 0000 0600 2273 00 | Persönlich haftende Gesellschafterin: | Certification: | ISO 9001, Tell: +49 (0) 40 / 75 10 33 75 | Sitz/Registergericht Hamburg: HRB 17189 | TS 16949, Tell: +49 (0) 40 / 75 10 33 75 | Geschäftsführender Gesellschafter: | EN 9100 | Persönlich haftende Gesellschafterin: | DE58 2001 0000 0000 373 00 | Sitz/Registergericht Hamburg: HRB 42442 | Bureau Verifas | Certification: | ISO 9001, Tell: +49 (0) 40 / 75 10 33 75 | Sitz/Registergericht Hamburg: HRB 17189 | TS 16949, Tell: +49 (0) 40 / 75 10 33 75 | Geschäftsführender Gesellschafter: | EN 9100 | Persönlich haftende Gesellschafterin: | DE58 2001 0000 0000 373 00 | Sitz/Registergericht Hamburg: HRB 42442 | Bureau Verifas | Description: | DE58 2001 0000 0000 373 00 | Geste 2003 0000 0000 373 00 | Geste 2003 0000 0000 373 00 | Sitz/Registergericht Hamburg: HRB 47442 | Dureau Verifas | Description: | DE58 2001 0000 000 373 00 | Sitz/Registergericht Hamburg: HRB 47442 | Dureau Verifas | Description: | DE58 2001 0000 000 373 00 | Geste 2003 000 |

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

Remarks Adhere to the professional organisation rule "Use of protec-

tive gloves". Appropriate chemicals resistant glove tested in

compliance with EN 374.

Recommendation for protection against components general-

ly found in the products:

For short-term contact (i.e. splash protection):

Appropriate material: nitrile rubber, Neoprene

Material thickness: > 0.4 mmBreakthrough time: > 480 min

Before use, the protective glove should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Preventive hand protection (skin protection cream) recommended. Wash immediately contaminated skin. Design operations thus to avoid permanent use

of protective gloves.

Skin and body protection Depending on the probability of the occurrence of dangerous-

ly explosive atmospheres, adapted protective clothing must

be worn.

None, but avoid breathing vapours if possible. Respiratory protection

Protective measures Avoid product contact with skin, eyes and clothing.

> Avoid the inhalation of dust from sanding, particulates and spray mist arising from the application of this preparation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour according product name

Odour characteristic

Boiling point/boiling range ca. 120 °C

Upper explosion limit No data available

Lower explosion limit No data available

Flash point > 100 °C

Auto-ignition temperature No data available

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023

Version 2

: 6 - 8 (20 °C) pΗ

Concentration: 10 %

Viscosity

Viscosity, kinematic $: > 21 \text{ mm}^2 \text{s}$

Flow time > 150 s

> Cross section: 4 mm Method: DIN 53211

> 100 s

Cross section: 6 mm Method: ISO 2431

Solubility(ies)

Water solubility insoluble

Vapour pressure ca. 100 hPa (50 °C)

Density ca. 1.1 g/cm3 (20 °C)

9.2 Other information

Miscibility with water immiscible

Solvent separation < 3%(V)

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid Stable under recommended storage and handling conditions

(See section 7).

10.5 Incompatible materials

Materials to avoid Keep away from oxidizing agents, strongly alkaline and

strongly acid materials in order to avoid exothermic reactions.

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,037 mg/kg

Method: Calculation method

Components:

dimethylbis[(1-oxoneodecyl)oxy]stannane:

Acute oral toxicity : LD50 (Rat): 892 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

dimethylbis[(1-oxoneodecyl)oxy]stannane:

Species

OECD Test Guideline 404 Method

Result irritating

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Repeated or prolonged contact with the preparation may

cause removal of natural fat from the skin resulting in nonallergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and re-

versible damage.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : There are no data available on the preparation itself.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: There are no data available on the preparation it-

self.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: There are no data available on the preparation it-

self.

12.4 Mobility in soil

Product:

Mobility : Remarks: There are no data available on the preparation it-

self.

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023

Version 2

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

There are no data available on the preparation itself.

The product should not be allowed to enter drains or water

courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Dispose of in accordance with local regulations.

Contaminated packaging Contaminated packaging should be emptied as far as possible

and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed off in

agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 UN number or ID number

ADR Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good **IATA** Not regulated as a dangerous good

14.2 UN proper shipping name

ADR Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

IMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

Remarks : If transported within the user's premises: To be transported

always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of

conduct in case of incident or spillage.

IMDG : Not regulated as a dangerous goodIATA (Cargo) : Not regulated as a dangerous goodIATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

68928-76-7 (Number on list 20) 26401-97-8 (Number on list 20)

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

: Not applicable

UK REACH List of substances subject to authorisation

Not applicable

(Annex XIV)

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

Volatile organic compounds

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.19 %, 2 g/l

Other regulations:

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the mixture.

SECTION 16: Other information

Full text of H-Statements

Harmful if swallowed. H302 H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Causes damage to organs through prolonged or repeated H372

exposure if swallowed.

H412 Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. Acute toxicity

Aquatic Chronic Long-term (chronic) aquatic hazard

Skin Irrit. Skin irritation Skin Sens. Skin sensitisation

STOT RE Specific target organ toxicity - repeated exposure UK. EH40 WEL - Workplace Exposure Limits GB EH40

Long-term exposure limit (8-hour TWA reference period) GB EH40 / TWA GB EH40 / STEL Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of

according to Regulation (EC) No. 1907/2006



Commercial Product Name: ALEXIT BR3KA7-BladeRep Activator 3K

Quality No.: 9093K61000000

Revision Date 14.03.2023 Print Date 14.03.2023 Version 2

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

The information given in this material safety data sheet does not release the user from its duty of risk assessment and control in the work place defined in other health and safety law. Adhere to the national sanitary and occupational safety requlations when using this product.

This safety datasheet complies with the requirements of regulation (EC) No 1907/2006(2020/878).

Classification of the mixture:

Classification procedure:

Acute Tox. 4	H302	Calculation method
Skin Sens. 1	H317	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Chronic 3	H412	Calculation method

Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str.187, D-21107 Hamburg

Telefon: +49(0)40/555 546 300 Fax: +49(0)40/555 546 357

e-mail:umco@umco.de

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

