

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

SAFETY DATA SHEET

FOR PROFESSIONAL and/or INDUSTRIAL USE ONLY

EPIKOTE[™] RESIN MGS CSR05

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name SDS Number	:	EPIKOTE [™] RESIN MGS CSR05 300000032544
Product type	:	Epoxy Resin
Other means of identification	:	UFI: JN78-H9YN-CXCW-UYQM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

Binder

Identified uses Not applicable.

Uses advised against Not applicable.

1.3 Details of the supplier of the safety data sheet

:	Westlake Epoxy B.V.
	Seattleweg 17
	3195 ND Pernis - Rotterdam
	The Netherlands
:	epoxyservice@westlake.com General information +31 (0) 10 295 4011
:	CARECHEM24 +44 (0) 1235 239 670
	::

SECTION 2: Hazards identification

Page:2/17

2.1 Classification of the substance or mixture

<u>Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] as amended by GB-CLP</u> <u>Regulation,UK REACH Regulation SI 2019/720, and UK REACH Regulation SI 2019/1567</u>

Skin Corr./Irrit. 2 H315 Eye Dam./Irrit. 2 H319 Skin Sens. 1 H317 Aquatic Chronic 2 H411

See Section 16 for the full text of the H statements declared above.

:

2.2 Label elements

Hazard pictograms

Signal word Hazard statements



Warning
Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention	Wear protective gloves. Wear eye or face protection. Avoid release to the environment. Avoid breathing vapor. Wash thoroughly after handling.				
Response	 Collect spillage. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove conta lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. 	ct			
Storage	: Not applicable.				
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.				
Hazardous ingredients	: bis-[4-(2,3-epoxipropoxi)phenyl]propane				
Supplemental label elements	Not applicable. Not applicable.				
Version: 6.0 Date of	Date of revision: 08.08.2024 Date of previous issue: 04.01.2023				

Page:3/17

2.3 Other hazards

Product meets the criteria for
PBT or vPvB according to
Regulation (EC) No. 1907/2006,
Annex XIII
Other hazards which do not
result in classification

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

None known.

SECTION 3: Composition/information on ingredients

:

:

:

3.2 Mixtures

Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M- factors and ATEs	Туре
bis-[4-(2,3- epoxipropoxi)phenyl]pro pane	RRN : UK-01- 4433604119-7 EC : 216-823-5 CAS : 1675-54-3 Index : 603-073-00-2		Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411	-	[1]
1,2,3-Propanetriol, glycidyl ethers	RRN : Polymer EC : 292-011-4 CAS : 90529-77-4	>= 50 - <= 75	Skin Irrit. 2, H315 Eye Irrit. 2, H319	-	[1]

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Page:4/17

Skin contact	:	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first aid personnel	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion Over-exposure signs/symptoms	::	Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.			
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness			
Inhalation	:	No specific data.			
Skin contact	:	Adverse symptoms may include the following: irritation redness			
Ingestion	:	No specific data.			
4.3 Indication of any immediate medical attention and special treatment needed					

Notes to physician	:	Treat symptomatically. Contact poison treatment specialist
Specific treatments	:	immediately if large quantities have been ingested or inhaled. No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Version: 6.0

Page:5/17

EPIKOTE[™] RESIN MGS CSR05

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical, CO2, alcohol-resistant foam or water spray (fog). Do not use water jet.		
5.2 Special hazards arising from the substance or mixture				
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting		

Hazardous thermal decomposition products	:	effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Additional information	:	Not available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency p		suitable tr unprotecte spilled ma ventilation inadequate	aining. Evacua ed personnel fr tterial. Avoid b n. Wear approp e. Put on approp	involving any pers te surrounding are om entering. Do no preathing vapor or a priate respirator wh opriate personal pro-	as. Keep ot touch o mist. Prov en ventila otective ea	unnecessary and or walk through vide adequate ation is quipment.
For emergency respo	nders :	of any inf	ormation in Se	required to deal w ction 8 on suitable in "For non-emerg	and unsu	itable materials.
6.2 Environmental pred	cautions :	waterways product ha or air). W	s, drains and se as caused envir ater polluting 1	d material and rund ewers. Inform the r conmental pollution naterial. May be ha tities. Collect spilla	elevant au n (sewers, armful to	uthorities if the , waterways, soil
6.3 Methods and mater	rial for containme	nt and clea	ning up			
Small spill	:	with water insoluble, appropriat disposal c	r and mop up i absorb with an e waste disposontractor.	. Move containers a f water-soluble. Al n inert dry material sal container. Dispo	and place	ly, or if water- e in an a licensed waste
Large spill	:	release fro basements treatment	om upwind. Pros or confined as plant or procee	. Move containers a event entry into sev reas. Wash spillage ed as follows. Cont bsorbent material e	wers, wate es into an tain and c	er courses, effluent ollect spillage
Version: 6.0	Date of issue/Date	of revision:	08.08.2024	Date of previo	us issue:	04.01.2023

 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

 EPIKOTE" RESIN MGS CSR05
 Page:6/17

 vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13 of SDS). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

 6.4 Reference to other sections
 :

 See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see section 8 of SDS). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations	:	Not available
Industrial sector specific	:	Not available
solutions		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit No exposure limit value know				
Recommended monitoring procedures	: If this pro- workplac determine	e atmosphere or bio e the effectiveness of	dients with exposure l plogical monitoring ma of the ventilation or otly y to use respiratory pro-	ay be required to her control
Version: 6.0 Da	te of issue/Date of revision:	08.08.2024	Date of previous issue:	04.01.2023

Page:7/17

equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredie	Туре	Exposure	xposure Value Popu		Effects
nt name		_		-	
bis-[4-(2,3- epoxipropoxi)phe nyl]propane	DNEL	Short term Dermal	8.3 mg/kg bw/day	Workers	Systemic
bis-[4-(2,3- epoxipropoxi)phe nyl]propane	DNEL	Short term Inhalation	12.3 mg/m ³	Workers	Systemic
bis-[4-(2,3- epoxipropoxi)phe nyl]propane	DNEL	Long term Dermal	8.3 mg/kg bw/day	Workers	Systemic
bis-[4-(2,3- epoxipropoxi)phe nyl]propane	DNEL	Long term Inhalation	12.3 mg/m ³	Workers	Systemic
bis-[4-(2,3- epoxipropoxi)phe nyl]propane	DNEL	Short term Dermal	3.6 mg/kg bw/day	General population	Systemic
bis-[4-(2,3- epoxipropoxi)phe nyl]propane	DNEL	Short term Inhalation	0.75 mg/m ³	General population	Systemic
bis-[4-(2,3- epoxipropoxi)phe nyl]propane	DNEL	Short term Oral	0.75 mg/kg bw/day	General population	Systemic
bis-[4-(2,3- epoxipropoxi)phe nyl]propane	DNEL	Long term Dermal	3.6 mg/kg bw/day	General population	Systemic
bis-[4-(2,3- epoxipropoxi)phe nyl]propane	DNEL	Long term Inhalation	0.75 mg/m ³	General population	Systemic
bis-[4-(2,3- epoxipropoxi)phe nyl]propane DNEL/DMEL Su	DNEL	Long term Oral : Not ava	0.75 mg/kg bw/day	General population	Systemic

DNEL/DMEL Summary

: Not available

PNECs

Product/ingredient name	Туре	Compartment Detail	Value	Method Detail
bis-[4-(2,3-	PNEC	Fresh water	6 μg/l	
epoxipropoxi)phenyl]prop				
ane				
bis-[4-(2,3-	PNEC	Marine	1 µg/l	
epoxipropoxi)phenyl]prop				
ane				
bis-[4-(2,3-	PNEC	Sewage Treatment Plant	10 mg/l	
epoxipropoxi)phenyl]prop				
ane				
bis-[4-(2,3-	PNEC	Fresh water sediment	0.341 mg/kg dwt	
epoxipropoxi)phenyl]prop				
ane				
bis-[4-(2,3-	PNEC	Marine water sediment	0.034 mg/kg dw	
epoxipropoxi)phenyl]prop				
Version: 6.0	Date of issue/Date of re	evision: 08.08.2024	Date of previous issue	2: 04.01.2023

ane				
bis-[4-(2,3-	PNEC	Soil	0.065 mg/kg dw	
epoxipropoxi)phenyl]prop				
ane				

PNEC Summary

: Not available

Derived No-Effect Levels' (DNEL's) and Predicted No-Effect Concentrations' (PNEC's)

Explanatory note:

REACH requires manufacturers and importers to establish and report 'Derived No-Effect Levels' (DNEL's) for humans by inhalation, ingestion and dermal routes of exposure and 'Predicted No-Effect Concentrations' (PNEC's) for environmental exposure. DNEL's and PNEC's are established by the registrant without an official consultation process, and are not intended to be directly used for setting workplace or general population exposure limits. They are primarily used as input values in running Quantitative Risk Assessment models (like the ECETOC-TRA model).

Due to differences in calculation methodology the DNEL will tend to be lower (sometimes significantly) than any corresponding health-based OEL for that chemical substance. Further although DNEL's (and PNEC's) are an indication for setting risk reduction measures, it should be recognized that these limits do not have the same regulatory application as officially endorsed governmental OEL's.

8.2 Exposure controls

Appropriate engineering controls	:	be suffici this produced enclosure	al ventilation n ent to control act contains in es, local exhau ker exposure l	worker exp ngredients v ist ventilation	oosure to airbo with exposure on or other en	orne con limits, s gineerin	use process ng controls to
Individual protection measures							
Hygiene measures Eye/face protection	:	products, end of the remove p clothing a contamin and safet Safety ey used whe exposure possible,	nds, forearms before eating e working peri- otentially con- should not be ated clothing y showers are ewear comply n a risk assess to liquid splas the following nt indicates a	, smoking a iod. Approp taminated c allowed our before reus close to the ving with ar sment indic shes, mists, protection	and using the l priate technique clothing. Cont t of the workp ing. Ensure the e workstation approved stat ates this is need gases or dust should be work	avatory les shou aminate lace. W at eyew location ndard s cessary s. If con m, unle	y and at the uld be used to ed work Vash vash stations n. should be to avoid ntact is ss the
Skin protection							
Hand protection	:	standard products the paran use that t should be may be d mixtures.	l-resistant, imp should be wor if a risk assess neters specifie he gloves are noted that the ifferent for difficent for difficent consisting of nnot be accurrent	rn at all time sment indic ed by the glo still retaining e time to br fferent glov several sub	es when hand ates this is ne ove manufacture og their protect eakthrough for e manufacture ostances, the p	ling che cessary urer, che tive pro r any g ers. In t	emical . Considering eck during operties. It love material he case of
Version: 6.0 Date of issue	e/Date d	of revision:	08.08.2024	Date	e of previous issu	e: 04.	01.2023

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 EPIKOTE[™] RESIN MGS CSR05 Page:<mark>9/17</mark>

Body protection Other skin protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures
		should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	:	liquid
Color	:	Yellowish.
Odor	:	slight, characteristic
Odor threshold	:	Not available (not measured)
pН	:	Not available (not measured)
Melting point/freezing point	:	Not available (not measured)
Initial boiling point and boiling	:	Not available (not measured)
range		
Flash point	:	Greater than 100 °C
Evaporation rate	:	Not available (not measured)
Upper/lower flammability or		Lower: Not available (not measured)
explosive limits	•	Upper: Not available (not measured)
Vapor pressure	:	Not available (not measured)
Vapor density	:	Not available (not measured)
Relative density	:	Not available (not measured)
Density	:	Approx. 1.140 g/cm3
Solubility(ies)	:	Not available (not measured)
Solubility in water	:	Insoluble
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available (not measured)
Decomposition temperature	:	Not available (not measured)
Viscosity	:	Dynamic: Approx. 600 - 900 mPa·s @ 25 °C (ISO 9371)
		Kinematic: Not available (not measured)
Explosive properties	:	Not available (not measured)
Oxidizing properties	:	Not available (not measured)

EPIKOTE[™] RESIN MGS CSR05

Page:10/17

Median particle size Not applicable. :

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	Stable under normal conditions.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
0.4 Conditions to avoid	:	Keep away from heat and direct sunlight.
.0.5 Incompatible materials	:	Reactive or incompatible with the following materials: amines acids oxidising agents
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Reacts violently with acids, ammonia, amines and oxidizing agents.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1,2,3-Propanetriol, glycidyl etl	ners			
	LD50 Oral	Rat	2,000 mg/kg	-
	LD50 Oral	Rat	2,000 mg/kg	-

Conclusion/Summary

: Not available

Acute toxicity estimates

N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
bis-[4-(2,3-	Skin -	Rabbit	1.5 - 2		-
epoxipropoxi)phenyl]propane	Erythema/Eschar				
	404 Acute Dermal				
	Irritation/Corrosion				
	Skin - Edema 404	Rabbit	1.0 - 1.5		-

Page:11/17

Acute Dermal Irritation/Corrosion				
Eyes 405 Acute	Rabbit	0		-
Eye				
Irritation/Corrosion				
Eyes - Redness of	Rabbit	0.7		-
the conjunctivae				
Skin - Moderate	Rabbit	-	24 hrs	-
irritant				
Skin - Severe	Rabbit	-	24 hrs	-
irritant				
Eyes - Mild irritant	Rabbit	-		-

Conclusion/Summary

Skin	:	Not available
Eyes	:	Not available

Respiratory : Not available

Sensitization

Product/ingredient name	Route of exposure	Species	Result	
bis-[4-(2,3-	Skin	See Remarks	Sensitizing	
epoxipropoxi)phenyl]propan				
e				
Remarks:	In an OECD No. 429 mouse LLNA study the estimated EC3 was a			
	concentration of 5.7% suggesting that BADGE is a moderate skin sensitizer in			
	this test system. In an OECD No. 406 guinea pig Maximization study BADGE			
	induced positive dermal reaction in 100% of the test animals at a 50%			
	concentration challenge dose. Therefore, BADGE is an "Extreme" skin			
	sensitizer under the conditions of this study. BADGE was also positive for skin			
	sensitization in an OECD No. 406 guinea pig Buehler method study.			
Conclusion/Summary				
Skin	: Not available	e		

Skin Respiratory

Not available Not available

:

Mutagenicity

Product/ingredient name	Test	Experiment	Result
bis-[4-(2,3-	-	Subject: Mammalian-	Negative
epoxipropoxi)phenyl]prop		Animal	
ane			
Remarks:	oral gavage study conducte mouse micronucleus test co in a male mouse spermatoc oral gavage up to a high do frequency of chromosome of cytogenetic test by oral gav induce an increase of DNA	chromosome damage in a me d up to a high dose level of 1 inducted up to a high dose of yte cytogenetic assay with tre se of 3000 mg/kg. Did not in damage in a Chinese hamster age up to a high dose of 3300 strand breaks in rat liver cell is measured by alkaline elution	0 grams/kg and in a 5000 mg/kg. Negative eatment for 5 days by induce an increase in the bone marrow 0 mg/kg. Failed to s following oral gavage
Conclusion/Summary	: Not available		
<u>Carcinogenicity</u>			
Conclusion/Summary	: Not available		

Reproductive toxicity

EPIKOTE[™] RESIN MGS CSR05

Page:12/17

Conclusion/Summary	:	Not available
<u>Teratogenicity</u>		
Conclusion/Summary	:	Not available
<u>Specific target organ toxicity (sing</u> Not available	le ex	<u>posure)</u>
Specific target organ toxicity (repe Not available	<u>ated</u>	<u>exposure)</u>
Aspiration hazard Not available		
Information on likely routes of exposure	:	Not available
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:::::::::::::::::::::::::::::::::::::::	Causes serious eye irritation. No known significant effects or critical hazards. Causes skin irritation. May cause an allergic skin reaction. No known significant effects or critical hazards.
Symptoms related to the physical, cl	hemi	cal and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion	:	Adverse symptoms may include the following: pain or irritation, watering, redness No specific data. Adverse symptoms may include the following: irritation, redness No specific data.
Delayed and immediate effects as we	ll as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available Not available
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available Not available
Potential chronic health effects		
Conclusion/Summary	:	Not available
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity Mutagenicity Reproductive toxicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
11.2. Information on other hazards		

11.2. Information on other hazards

Version:	6.0	Date of issue/Date of revision:	08.08.2024	Date of previous issue:	04.01.2023

11.2.1 Endocrine disrupting properties	:	Not available
11.2.2 Other information	:	Not available

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure		
bis-[4-(2,3-epoxipropoxi)phen	bis-[4-(2,3-epoxipropoxi)phenyl]propane				
	Acute LC50 1.3 mg/l - 203	Fish	96 h		
	Fish, Acute Toxicity Test				
	Acute EC50 2.1 mg/l - 202	Water flea	48 h		
	Daphnia sp. Acute				
	Immobilization Test and				
	Reproduction Test				
	Acute LC50 > 11 mg/l -	Algae	72 h		
	Chronic NOEC 0.3 mg/l semi-	Water flea	21 d		
	static test 211 Daphnia Magna				
	Reproduction Test				

Conclusion/Summary

: Not available

:

Not available

12.2 Persistence and degradability

Conclusion/Summary	
--------------------	--

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
bis-[4-(2,3-	2.64 - 3.78	3 - 31 31.00	low
epoxipropoxi)phenyl]propane			

12.4 Mobility in soil

Soil/water partition coefficient	:	Not available
(KOC)		
Mobility	:	Not available

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties : Not available

No known significant effects or critical hazards. 12.7 Other adverse effects :

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

EPIKOTE[™] RESIN MGS CSR05

Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulatory information	14.1. UN number	14.2. UN proper shipping name		14.3. Transport hazard class(es)	14.4. Packing group
ADR/ADN	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXIDE DERIVATIVES)		9	III
RID	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXIDE DERIVATIVES)		9	Ш
ІСАО/ІАТА	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXIDE DERIVATIVES)		9	III
IMO/IMDG	3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXIDE DERIVATIVES)		9	III
14.5. Environmental hazards					
Environmentall	ly hazardous	and/or Marine Pollutant	:	Yes.	¥2

 Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

 EPIKOTE[™] RESIN MGS CSR05
 Page:15/17

 14.6 Special precautions for user
 : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

 14.7 Maritime transport in bulk according to IMO instruments
 : Not available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorization
Annex XIV
None required.
Substances of very high concern None required.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures
Prior Informed Consent (PIC) (649/2012/EU) None required.
<u>Seveso Directive</u> This product is controlled under the Seveso Directive. <u>Danger criteria</u>
Category
E2
International regulations
International lists: Australia inventory (AICS). All components are listed or exempted. Canada inventory. Not determined. Japan inventory Not determined. China inventory (IECSC). All components are listed or exempted. Korea inventory (KECI) All components are listed or exempted. New Zealand Inventory (NZIoC) Not determined. Philippines inventory (PICCS). Not determined.

United States inventory (TSCA 8b). Not determined.

Thailand inventory Not determined. Vietnam inventory Not determined.

Date of issue/Date of revision: 08.08.2024

Version: 6.0

Taiwan inventory (TCSI). All components are listed or exempted.

Date of previous issue: 04.01.2023

Page:16/17

- **15.2** Chemical Safety Assessment
- : This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms :	:	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative
------------------------------	---	---

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 2, H411	Calculation method

Full text of abbreviated H statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

Skin Irrit. 2	SKIN CORROSION/IRRITATION
Skin Sens. 1	SKIN SENSITIZATION
Eye Irrit. 2	SERIOUS EYE DAMAGE/ EYE IRRITATION
Aquatic Chronic 2	AQUATIC HAZARD (LONG-TERM)
Skin Irrit. 2	SKIN CORROSION/IRRITATION
Skin Sens. 1	SKIN SENSITIZATION
Eye Irrit. 2	SERIOUS EYE DAMAGE/ EYE IRRITATION
Aquatic Chronic 2	AQUATIC HAZARD (LONG-TERM)
Aquatic Chronic 2	AQUATIC HAZARD (LONG-TERM) - Category 2
Eye Irrit. 2	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1	SKIN SENSITIZATION - Category 1

Date of printing	:	03.10.2024
Date of issue/ Date of revision	:	08.08.2024
Date of previous issue	:	04.01.2023
Version	:	6.0

Page:17/17

Notice to reader

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.